

Mouse anti-Staphylococcal Enterotoxin B mAb (3D10)

Catalog #: 0220-009

Lot #: 1503004

Immunogen: Staphylococcal enterotoxin B (SEB)

Description: Mouse monoclonal antibody reactive to *Staphylococcus aureus* enterotoxin B.

Supplied: 100 μ g is supplied in PBS at a concentration of 0.396 mg/mL.

Purification: Antibody is purified using immobilized protein G.

Storage: 2-3 weeks +4°C, -20°C long term

Clonality: Monoclonal of the IgG₁ subtype

Relevance: The antibody can be used for capture of SEB in an ELISA sandwich assay and Western blot detection. It is not recommended for direct detection in an ELISA.

Recommended Dilutions:

ELISA: Assay-dependent dilution. Internal QC demonstrates good capture of purified SEB using this monoclonal antibody coated to a plate at $1.0 \ \mu g/mL$.

WB: Antibody can be utilized for Western blot detection of SEB at a use dilution of 1 $\mu g/mL$


Neutralization: 10 nM of 3D10 completely inhibits superantigenic activity of 0.1 ng/ml SEB.

Cross Reactivity: This antibody does not appear to cross react with Staphylococcal enterotoxin C (SEC1).

For additional *S. aureus* products, please visit:

http://ibtbioservices.com/index.php/product-andreagents/staphylococcal-products


Western Blot Data:



Western blot detection of SEB at 25 ng, 50 ng, 100 ng, 150 ng, and 200 ng (lanes 1-5). SEB was detected with monoclonal antibody 3D10 at $1 \mu g/mL$ and an anti-mouse IgG-HRP conjugate.

ng/mL	OD 650 nm	
	SEB	SEC-1
40.000	2.571	0.169
12.649	1.588	0.161
4.000	0.746	0.148
1.265	0.353	0.151
0.400	0.231	0.148
0.126	0.193	0.155
0.040	0.172	0.153
0.013	0.176	0.152
0.004	0.173	0.163
0.001	0.180	0.158
0.000	0.171	0.172

Capture ELISA in which antibody 3D10 was coated to the plate overnight at 2-8°C at a concentration of 1 μ g/mL. SEB and SEC1 was serially diluted semi-log (1:3.16 serial dilutions) from 40 ng/mL and incubated on the antibody coated plate. Captured SEB was detected using a rabbit anti-Staphylococcal Superantigens polyclonal antibody (cat#: 0311-001) and anti-rabbit IgG-HRP conjugate.



Toxin Neutralization: Dose dependent suppression of SEBinduced IFN- γ production in human peripheral mononuclear cells (PBMC).

Intended for research use only, not for human, therapeutic, or diagnostic applications.

The buyer cannot sell or otherwise transfer this product for Commercial Purposes without written approval of Integrated BioTherapeutics, Inc.

Copyright 2015. Integrated BioTherapeutics, Inc. All rights reserved.