

ISO 9001:2015 Registered

18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778 
 Document No.:
 D10.1

 Revision No.:
 1

 Issue Date:
 04/06/2020

# SAFETY DATA SHEET

#### 1. IDENTIFICATION

Product Name	LabExact <sup>®</sup> Cotton Cloth IPA 70% Wipes (Non-Sterile)
Catalog Number	IWT-IPA70-CW66
Material uses	Wipes (presaturated) Reserved for Industrial and Professional Use
Material restrictions	n/a
Manufacturer / Supplier info	ation:
Company Name	I.W. Tremont Co., Inc.
Address	18 Utter Avenue Hawthorne, New Jersey 07506 USA
Telephone	(Tel) 973-427-3800
In case of emergency	Call your regional Poisons Control Center or go to the nearest Hospital or Medical Facility.

### 2. HAZARD IDENTIFICATION

#### Classification of the substance(s) or mixture(s)

	ince(	
Flammable Liquid	:	Category 2
Specific target organ		
toxicity single		Category 3
•••	•	Calegory 5
exposure		
Label Element	:	
		$\forall \forall$
Signal Word:	:	Warning
		Causes skin and eye irritation.
		Flammable liquid and vapor.
Hazard Statement(s)	:	May cause drowsiness or dizziness.
		May cause respiratory irritation.
Precautionary		· · · · · · · · · · · · · · · · · · ·
Statement(s)		
Otatement(3)		Keep away from heat/sparks/open flames/hot surfaces No smoking.
Prevention		Keep container tightly closed. Ground/bond container and receiving equipment.
Flevention	•	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
		IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with
Response	:	water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable
·		for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. In case of fire: Use
		dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage	:	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep
•	-	cool.
Disposal	:	Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Common name and synonyms	CAS#	%
Isopropyl Alcohol	Isopropanol (2-Propanol)	67-63-0	70%
Water		7732-18-5	30%



18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778

# 4. FIRST-AID MEASURES

Inhalation	Remove to fresh air, keep patient warm and at rest. Seek medical attention if effects persist.
Skin Contact	No first aid should be needed. Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye Contact	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart. Seek medical attention if symptoms persist.
Ingestion	Do not induce vomiting. Rinse mouth with water. Contact the poison control center or a physician immediately for instructions.
Symptoms and effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Recommendations for immediate medical care or special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
5. FIREFIGHTING	EASURES

Extinguishing Media Unsuitable extinguishing media	<ul><li>Use water spray, dry powder or carbon dioxide as the extinguishing media.</li><li>Do not use water jet as an extinguisher, as this will spread the fire.</li></ul>	
Special hazards arising from the substance or mixture	<ul> <li>Hazardous decomposition: Oxides of Carbon Keep away from heat / sparks / open flames / hot</li> <li>surfaces - No smoking.</li> <li>Avoid breathing dust / fume / gas / mist / vapors / spray.</li> </ul>	
Special protective equipment and precautions for fire fighting	<ul> <li>Wear self-contained breathing apparatus and protective clothing.</li> <li>Do not release runoff from fire control methods to sewers or waterways.</li> </ul>	

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse
Environmental precautions	:	Do not allow spills to enter drains or waterways.
Methods and material for containment & cleaning up	:	Mop or wipe up small spills. Ventilate area. Remove all sources of heat and ignition. Place broken sachets in a sealed, labelled container for disposal.

# 7. HANDLING AND STORAGE

Precautions for safe : handling	Keep original product packaging. Store in a well-ventilated cool and dry place. Keep away from open flames. For external use only. Avoid eye contact.
---------------------------------	---



18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778 
 Document No.:
 D10.1

 Revision No.:
 1

 Issue Date:
 04/06/2020

Individual Single use only.

Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents Store in a cool ( $\leq$  30°C), dry, well-ventilated area away from strong oxidizing agents, sources of heat, sparks, and open flames.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

1

#### Occupational Exposure Limits

Components	IS. OSHA Table Z-1 Limits Type	Value	. ,	
Isopropyl Alcohol (CAS 67-63-0)	PEL	980 mg/n	m <sup>3</sup>	
		400 ppm		
		400 ppm		
US. ACGIH T	hreshold Limit OSHA Tab	le Z-1 Limits for Air Cor	ntaminants (29 CFR	1910.1000)
Components	Туре	Value		
Isopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm		
	TWA	200 ppm		
	US. NIOSH: Poo	cket Guide to Chemical	Hazards	
Components	Туре	Value		
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/	/m³	
	TWA	980 mg/n	n <sup>3</sup>	
		400 ppm		
Distantia di l'activativa a				
Biological limit values	A0000 D			
•		ological Exposure Indic		<b>A I -</b>
Components	Value	Determinant	Specimen	Sample Time
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
* - For sampling details, please se	e the source document.			
Exposure controls				
-	None required for no	ormal use.		
	Provide adequate ve	entilation. Where reasona		hould be achieved by the use of
				not aufficient to maintain
<b>Respiratory Protection</b>	: local exhaust ventila	ation and good general ex		
Respiratory Protection	: local exhaust ventila concentrations of pa	ation and good general ex articulates and any vapor		
	: local exhaust ventila concentrations of pa respiratory protectio	ation and good general ex articulates and any vapor n must be worn.		
Hand Protection	<ul> <li>local exhaust ventila concentrations of pa respiratory protectio</li> <li>Wear appropriate ch</li> </ul>	ation and good general ex articulates and any vapor in must be worn. nemical resistant gloves.		
Hand Protection Eye Protection	<ul> <li>local exhaust ventila concentrations of pa respiratory protectio</li> <li>Wear appropriate ch</li> <li>None required for no</li> </ul>	ation and good general ex articulates and any vapor in must be worn. nemical resistant gloves. ormal use.		
Hand Protection	<ul> <li>local exhaust ventila concentrations of parespiratory protectio</li> <li>Wear appropriate ch</li> <li>None required for no</li> <li>None required for no</li> </ul>	ation and good general ex articulates and any vapor in must be worn. nemical resistant gloves. ormal use. ormal use.	below occupational e	

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance:Cotton woven pad, impregnated with 70% Isopropy AlcoholColor:Cotton pad: white; Impregnation solution: Colorless



18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778 
 Document No.:
 D10.1

 Revision No.:
 1

 Issue Date:
 04/06/2020

Odor:	Alcoholic
Odor Threshold:	Not available
:Hq	Not available
Melting point / freezing point:	-127.3 °F (-88.5 °C) estimated
Initial boiling point and boiling range:	177.8 - 181.4 °F (81 - 83 °C)
Flash Point:	71.6 °F (22.0 °C)
Evaporation rate (Ether = 1):	Not available
Flammability (solid, gas):	Not Applicable
	Lower - Flammability Limit: 2.5% estimated
Upper/lower flammability or explosive limits:	Explosive Limit: Not available
all and a second s	Upper - Flammability Limit: 12% estimated Explosive Limit: Not available
Vapor pressure:	42.37 hPA estimated
Vapor Density:	Not available
Specific Gravity:	0.86
Solubility in Water:	Complete
Auto-ignition temperature:	750.2 °F (399 °C) estimated
Partition coefficient n-octanol/water (Log Kow):	Not Measured
Auto-ignition temperature:	750.2 °F (399 °C) estimated
Decomposition temperature:	Not available
Viscosity:	Not determined
Oth	er Information
Density :	0.86 g/cm3
Explosive properties :	Not explosive.
Flammability class :	Flammable IB estimated
Flash point class :	Flammable IB
Oxidizing properties :	Not oxidizing.
Percent volatile :	
Specific gravity :	0.86
VOC Content :	70 %

# **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous	:	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions. Hazardous polymerization does not occur.
reactions Conditions to avoid	:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials Hazardous decomposition products	:	Acids. Strong oxidizing agents. Chlorine. Isocyanates. May include oxides of carbon.

# **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure



18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778 
 Document No.:
 D10.1

 Revision No.:
 1

 Issue Date:
 04/06/2020

Inhalation	:	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
Skin contact	:	No adverse effects due to skin contact are expected.
Eye contact	:	Causes serious eye irritation.
Ingestion	:	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	:	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

#### Information in toxicological effects

Acute Toxicity				
Components		Species	Test Results	
ISOPROPYL ALCOHOL, 70% v/v	, in WATER.			
Acute				
Dermal				
LD50		Rabbit	13760 mg/kg	
Oral				
LD50		Dog	6853 mg/kg	
		Mouse	5143 mg/kg	
		Rabbit	10290 mg/kg	
		Rat	7354 mg/kg	
Other				
LD50		Mouse	2156 mg/kg	
Components		Species	Test Results	
Acute				
Dermal				
LD50		Rabbit	5030 - 7900 mg/kg	
Oral				
LD50		Dog	4797 mg/kg	
		Mouse	3600 mg/kg	
		Rabbit	8000 mg/kg	
			6410 mg/kg	
		Rat	4700 - 5800 mg/kg 5045 mg/kg	
			4.7 g/kg	
Other				
LD50		Mouse	1509 mg/kg	
		Rat	1099 mg/kg	
Skin corrosion/irritation	: Prolong	ged skin contact may cau	use temporary irritation.	
Serious eye damage/eye	: Causes	serious eye irritation.		
irritation		oonouo oyo mhadon.		
Respiratory or skin sensitiza				
Respiratory sensitization		espiratory sensitizer.		
Skin sensitization	: This pr	oduct is not expected to	cause skin sensitization.	



18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778 
 Document No.:
 D10.1

 Revision No.:
 1

 Issue Date:
 04/06/2020

Germ cell mutagenicity Carcinogenicity IARC Monographs. Overall Ev	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Not classifiable as to carcinogenicity to humans. <b>tion of Carcinogenicity</b>				
Not listed.					
OSHA Specifically Regulated	OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)				
Not regulated.					
US. National Toxicology Prog	(NTP) Report on Carcinogens				
Not listed.					
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.				
Specific target organ					
toxicity	May cause drowsiness and dizziness.				
- single exposure					
Specific target organ	Nationalisian				
toxicity - repeated exposure	Not classified.				
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	Prolonged inhalation may be harmful.				
Chronic ellects	Tolonyeu innaiation may be nanniui.				

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity		The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Product		Species	Test Results		
ISOPROPYL ALCOHO	OL, 70% v/v, in	WATER.			
Aquatic					
Fish	LC50	Fish	8842.8574 mg/l, 96 hours estimated		
Components		Species	Test Results		
ISOPROPYL ALCOHO	OL, 70% v/v, in	WATER.			
Aquatic					
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours		
Persistence and degradability		No data is available on the degradability of any ingredients in the mixture.			
Bioaccumulative pot	ential				
Partition coefficient	n-octanol / wa	ter (log Kow)			
ISOPROPYL ALCOHO	CL	0.05			
Mobility in soil	:	No data available.			
<b>Other adverse effects</b> : The product contains volatile organic compounds which have a photochemical ozon potential.			npounds which have a photochemical ozone creation		

### **13. DISPOSAL CONSIDERATIONS**

Disposal instructions	:	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local / regional / national / international regulations.	
Local disposal regulations	:	Dispose in accordance with all applicable regulations.	
Hazardous waste code	:	D001: Waste Flammable material with a flash point <140 F. The waste code should be assigned	

I.W. Tremont Technical and Specialty Papers ISO 9001:2015 Registered		18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778	Document No.: Revision No.: Issue Date:	D10.1 1 04/06/2020	
		in discussion between the user, the producer and the wast	te disposal company.		
Waste from residues / unused products	:	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	:	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			

# 14. TRANSPORT INFORMATION

DOT		
UN number	:	UN1219
UN proper shipping name	:	Isopropanol or Isopropyl alcohol
Transport hazard class(es)		
Class	:	3
Subsidiary risk	:	-
Label(s)	:	3
Packing group	:	II
Special precautions for user	:	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	:	IB2, T4, TP1
Packaging exceptions	:	4b, 150
Packaging non bulk	:	202
Packaging bulk	:	242
ΙΑΤΑ		
UN number	:	UN1219
UN proper shipping name	:	Isopropanol
Transport hazard class(es)		
Class	:	3
Subsidiary risk	:	-
Packing group	:	II
Environmental hazards	:	No.
ERG Code	:	3L
Special precautions for user	:	Read safety instructions, SDS and emergency procedures before handling.
Other information		
Passenger and cargo	:	Allowed with restrictions.
Cargo aircraft only	:	Allowed with restrictions.
IMDG		
UN number	:	UN1219
UN proper shipping name	÷	ISOPROPANOL (ISOPROPYL ALCOHOL)
Transport hazard class(es)	_	
Class	:	3
Subsidiary risk	:	-
Packing group	:	II



18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778

: No.

Document No.: D10.1 **Revision No.:** 1 Issue Date: 04/06/2020

Environmental hazards
Marine pollutant

EmS

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

		F-E, S-D Read safety instructions, SDS and emergency procedures before handling.
3	:	Not established.



# **15. REGULATORY INFORMATION**

US federal regulations	<ul> <li>This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.</li> </ul>				
Toxic Substances Control Act (TSCA)	All components of the mixture on the TSCA 8(b) inventory are designated "active".				
TSCA Section 12(b) E	Export Notification (40 CFR 707, Subpt. D)				
Not regulated.					
F - Highly flammable					
CERCLA Hazardous	Substance List (40 CFR 302.4)				
Not listed.					
SARA 304 Emergency	y release notification				
Not regulated.	Not regulated.				
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)					
Not regulated.					
Superfund Amendments and Reauthorization Act of 1986 (SARA)					
SARA 302 Extremely	SARA 302 Extremely hazardous substance				
Not listed.					
SARA 311/312	: Yes				
Hazardous chemical					
Classified hazard categories	: Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Hazard not otherwise classified (HNOC)				



18 Utter Avenue Hawthorne, NJ 07506 USA (Tel) 973-427-3800 (Fax) 973-427-3778

SARA 313 (TRI reporting)		
Not regulated	l.	
Other federal regulations		
Clean Air Act (CAA)	Section 112 Hazardous Air Pollutants (HAPs) List	
Not regulated	l.	
Clean Air Act (CAA)	Section 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated	l.	
Safe Drinking Water	Act (SDWA) Not regulated.	
FEMA Priority Sub	ostances Respiratory Health and Safety in the Flavor Manufacturin	ig Workplace
ISOPROPYL	ALCOHOL (CAS 67-63-0) Low priority	-
US state regulations		
California Propositio	on 65	
69502.3, subd. (a)) ISOPROPYL	lidate Chemicals List. Safer Consumer Products Regulations (Cal. ALCOHOL (CAS 67-63-0)	Code Regs, tit. 22,
International Inventories		<b>O</b> ur instanten (see a /a a)*
Country(s) or region Australia	Inventory name	On inventory (yes/no)*
Canada	Australian Inventory of Chemical Substances (AICS)	Yes Yes
Canada	Domestic Substances List (DSL) Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINEC	
Europe	European List of Notified Chemical Substances (ELINCS	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### **16. OTHER INFORMATION**

1

#### Date Issued Prepared By

- 04/06/2020
- : I.W. Tremont Co., Inc.

#### User's Responsibility

I.W. Tremont Co., Inc. provides the information contained herein in good faith and states that it represents the best information currently available. However, no warranties or representation are expressed or implied and I.W. Tremont Co., Inc. assumes no liabilities resulting from its use. Users should make their own investigations to determine the suitability of the information for their applications. In no way shall I.W. Tremont Co., Inc. be responsible for loses or damages resulting from the use or reliance upon this information.