

Reviewed on 05/19/2016

1 Identification

- · Product identifier
- · Trade name: MP ALUMINA B ACTIVITY SUPER I
- · Article number: 04569, 04568, 04571, 04574, 04577
- · CAS Number: 1344-28-1 · EC number:
- 215-691-6
- · Molecular Formula Al2 O3
- · Molecular Weight 101.9 g/mol
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 **United States** www.mpbio.com
- · Information department: Quality Control Department
- · Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

1344-28-1 aluminium oxide

(Contd. on page 2)

Printing date 05/19/2016 Reviewed on 05/19/2016

Trade name: MP ALUMINA B ACTIVITY SUPER I

(Contd. of page 1)

- · Identification number(s)
- · EC number: 215-691-6

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Flush eyes with running water as a precaution.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 15-30 °C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions: Keep container tightly sealed.
- \cdot *Specific end use(s) No further relevant information available.*

Printing date 05/19/2016 Reviewed on 05/19/2016

Trade name: MP ALUMINA B ACTIVITY SUPER I

(Contd. of page 2)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

1344-28-1 aluminium oxide

PEL Long-term value: 15*; 5** mg/m³
*Total dust; ** Respirable fraction

REL Long-term value: 10* 5** mg/m³

as Al*Total dust**Respirable/pyro powd./welding f.

TLV Long-term value: 1* mg/m³ as Al; *as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Color: Off White

Odor: Indeterminate

Odor threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Boiling point/Boiling range: 2980 °C (5396 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Product is not flammable.

(Contd. on page 4)

Printing date 05/19/2016 Reviewed on 05/19/2016

Trade name: MP ALUMINA B ACTIVITY SUPER I

	(Contd. of pa	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
Danger of explosion:	See section 10	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	3.97 g/cm³ (33.13 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with	Not Determined	
Water:	Insoluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0%	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1344-28-1 aluminium oxide

		10000 mg/kg (rat)
Inhalative	LC50/4 h	2.6 mg/L (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.

(Contd. on page 5)

Printing date 05/19/2016 Reviewed on 05/19/2016

Trade name: MP ALUMINA B ACTIVITY SUPER I

(Contd. of page 4)

- · on the eye: Irritant and potentially harmful
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA Not regulated
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Not regulated
- · Transport hazard class(es)
- · ADR, ADN
- · Class Not regulated

(Contd. on page 6)

Printing date 05/19/2016 Reviewed on 05/19/2016

Trade name: MP ALUMINA B ACTIVITY SUPER I

Packing group
DOT, ADR, IMDG, IATA
Not regulated

Environmental hazards:
Marine pollutant:
No

Special precautions for user
Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.

UN "Model Regulation":
Not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

1344-28-1 aluminium oxide

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- · **GHS label elements** Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

US

Printing date 05/19/2016 Reviewed on 05/19/2016

Trade name: MP ALUMINA B ACTIVITY SUPER I

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 05/19/2016 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit