

Plate Labeling Questionnaire

Contact Information

Customer		Date	
Rep Name		Project Name	
Email		Phone	

Type of Project

Pre-Printed Labels	<input type="checkbox"/>	Total number of labels (500 labels per roll, 2 roll minimum)								
		Total number of identical labels per plate	1	<input type="checkbox"/>	2	<input type="checkbox"/>	3	<input type="checkbox"/>	4	<input type="checkbox"/>
Pre-Labeled Plates	<input type="checkbox"/>	Total number of plates								
		Total number of identical labels per plate	1	<input type="checkbox"/>	2	<input type="checkbox"/>	3	<input type="checkbox"/>	4	<input type="checkbox"/>

Barcode Label Information

Each barcode is scanned for readability prior to being sent. All sequence data is maintained so your next order will start with the next sequence number in line unless otherwise specified. Labels are good for use from -80C to 100C and are resistant to solvents such as DMSO, IPA and Methanol. If the application requires a label for -196C exposure this can be custom quoted. Label size used is 2.5" x 0.25". Symbology used is code 128. **Up to 10 alphanumeric characters available.**

Sequence Start Code:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Check if a static character	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Sequence End Code:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Check if a static character	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Human readable information should be located on the:								Left	<input type="checkbox"/>	Right	<input type="checkbox"/>

Plate & Placement Information (Applicable to pre-labeled plates only)

Plate Part #	
--------------	--

Labeling area must have a minimum height of .32" between the top of the skirt and the top of the plate

Sides to be labeled:	By default labels are applied to the center of the plate and not less than 1mm (0.04") from the top of the skirt. Please indicate below if you need labels placed in a different location:		
<p>N <input type="checkbox"/></p> <p>A <input type="checkbox"/> OA <input type="checkbox"/></p> <p>ON <input type="checkbox"/></p> <p>N-Numeric ON-Opposite Numeric A-Alpha OA-Opposite Alpha</p>	Long Side	Measurement from top of skirt to bottom of label (≥ 1mm):	mm
		Measurement from left side of plate to the left side of the label:	mm
	Short Side (with bevel)	Measurement from top of skirt to bottom of label (≥ 1mm):	mm
		Measurement from left side of plate to the left side of the label:	mm

Plate Packaging

Our standard packaging is to use plate manufacturers packaging carton labeling that includes the beginning and ending sequence numbers contained in the carton. We use a heat seal bag for the plate stack.

Additional Details

Please describe any additional packing or project detail here: