



- Flasks and **VersaCap®** are autoclavable
- Vented **VersaCap®** option available
- Molded in graduations
- Fits all standard clamps
- Minimize pH shifts and oxidation
- Manufactured in a Class 100,000 cleanroom
- Sterile flasks are DNase/RNase-free
- Sterile flasks are non-pyrogenic
- Sterility tested to SAL 10<sup>-6</sup>

### Sterilized in the USA



### Caution

- Do not use flasks under pressure or vacuum
- Do not use flasks at temperature greater than the rated maximum
- Do not store oxidizing agents in flasks
- Do not flame flasks

Foxx Life Sciences' Erlenmeyer Shaker Flasks are molded from virgin, optically clear, non-leaching polycarbonate resin. Our flasks retain clarity after gamma sterilization, and comply with stringent FDA and USP requirements. Sterile flasks are additionally certified as non-pyrogenic and DNase/RNase-free, making them ideal for cell cultures, microbial cultures, plants, media preparation, storage, and all other applications. They also fit all standard shaking incubator clamps and can be placed on any platform.

Foxx Life Sciences' Flasks are available with a flat or baffled base for increased oxygenation and mixing. Flasks are compatible with all 50mm **VersaCap®** technology and adapter inserts, enabling easy customization of top connections. Vented **VersaCap®** with a 0.2µm hydrophobic membrane can be purchased with the unit, or separately as an accessory. All Flasks and **VersaCap®** are autoclavable at 15 PSI and 121°C for 20 minutes.

- 1 Baffled and flat based versions available
- 2 Leakproof **VersaCap®** with interchangeable adapters
- 3 Molded in graduation marks
- 4 Sterile and non-sterile versions available
- 5 20% overhead space





Thomas No.	Mfr. No.	Description	Volume (L)	Material	Cap (mm)	Qty/CS
<b>Non-Sterile</b> ● ●						
1198J64	248-4131-OEM	Laboratory Flask, PC, 1 L, Flat Base, 50 mm cap, Non-Sterile	1	PC	50 Closed	6
1198J67	248-4231-OEM	Laboratory Flask, PC, 1 L, Baffled Base, 50 mm cap, Non-Sterile	1	PC	50 Closed	6
1198J70	248-5131-OEM	Laboratory Flask, PC, 2 L, Flat Base, 50 mm cap, Non-Sterile	2	PC	50 Closed	6
1198J73	248-5231-OEM	Laboratory Flask, PC, 2 L, Baffled Base, 50 mm cap, Non-Sterile	2	PC	50 Closed	6
<b>Sterile</b> ● ● ● ●						
1198J65	248-4132-OEM	Laboratory Flask, PC, 1 L, Flat Base, 50 mm cap, Sterilized	1	PC	50 Closed	6
1198J66	248-4142-OEM	Laboratory Flask, PC, 1 L, Flat Base, 50 mm cap, Vented, Sterilized	1	PC	50 Vented	6
1198J68	248-4232-OEM	Laboratory Flask, PC, 1 L, Baffled Base, 50 mm cap, Sterilized	1	PC	50 Closed	6
1198J69	248-4242-OEM	Laboratory Flask, PC, 1 L, Baffled Base, 50 mm cap, Vented, Sterilized	1	PC	50 Vented	6
1198J71	248-5132-OEM	Laboratory Flask, PC, 2 L, Flat Base, 50 mm cap, Sterilized	2	PC	50 Closed	6
1198J72	248-5142-OEM	Laboratory Flask, PC, 2 L, Flat Base, 50 mm cap, Vented, Sterilized	2	PC	50 Vented	6
1198J74	248-5232-OEM	Laboratory Flask, PC, 2 L, Baffled Base, 50 mm cap, Sterilized	2	PC	50 Closed	6
1198J75	248-5242-OEM	Laboratory Flask, PC, 2 L, Baffled Base, 50 mm cap, Vented, Sterilized	2	PC	50 Vented	6
<b>Caps</b> ● ● ●						
1198J29	205-0313-RLS	Cap, VersaCap® 50, Closed Top, Two per case	-	PP	50	2
1198J30	205-0314-RLS	Cap, VersaCap® 50, Open top w/ Closed Adapter, Two per Case	-	PP	50	2
1198J31	205-0317-RLS	Cap, VersaCap® 50, Open, with Molded 1/8" HB Adapter	-	PP	50	1
1198J32	205-0318-RLS	Cap, VersaCap® 50, Open, with Molded 1/4" HB, Adapter	-	PP	50	1
1198J33	205-0319-RLS	Cap, VersaCap® 50, Open, with Molded 5/16" HB, Adapter	-	PP	50	1
20A00L173	205-0345-RLS	Cap VersaCap® 50, Vented Top with 0.2 µm Hydrophobic Membrane	-	PP	50	1
1198J85	205-3331-RLS	Adapter Insert, VersaCap® 50, Closed	-	PP	50	1
1198J86	205-5331-RLS	Adapter, Molded In Barbs, VersaCap® 50, Dual 1/8" HB and Vent	-	PP	50	1
1198J87	205-5332-RLS	Adapter, Molded In Barbs, VersaCap® 50, Dual 1/4" HB and Vent	-	PP	50	1
1198J88	205-5333-RLS	Adapter, Molded In Barbs, VersaCap® 50, Dual 5/16" HB and Vent	-	PP	50	1



Rev. 24-001-01  
07/28/2014

We recommend testing for your specific application before use.