



WHEATON[®]

Automatic Crimping Tool

Battery Powered



Battery Powered Crimping Tools

Wheaton battery powered crimpers and decappers fit standard laboratory vials and seals with aluminum or two-part aluminum/steel caps. The electronically adjustable cycle is accurate and reproducible and can be adjusted with the control pad on top of the unit. The tools are ergonomically designed to reduce strain and arm injury associated with many manual crimping tools.

Rechargeable: The tools can be recharged in one to two hours with the universal power supply included. The power supply includes a plug set for operation in most countries.

Product Highlights	
<ul style="list-style-type: none">• Powerful motor with a fast cycle	<ul style="list-style-type: none">• Convenient controls on top of unit to adjust crimp
<ul style="list-style-type: none">• Long lasting battery with Lithium Ion technology - up to 800 crimps per charge	<ul style="list-style-type: none">• Advanced charging system including warning light when recharging is necessary
<ul style="list-style-type: none">• Can be operated while charging	<ul style="list-style-type: none">• Optional base and mounting kit
<ul style="list-style-type: none">• For flip-off caps, available in 13 mm and 20 mm sizes*	

*Not for use with Flip-up caps

Automatic Crimping Tool – Battery Powered

Battery Powered Crimping Tool

Cat. No.	Description	Size (mm)	Qty
W225708	Battery Powered Crimper	8	1
W225711	Battery Powered Crimper	11	1
W225712	Battery Powered Decapper	11	1
W225713	Battery Powered Crimper	13	1
W225714	Battery Powered Decapper	13	1
W225720	Battery Powered Crimper	20	1
W225721	Battery Powered Decapper	20	1
W225715	Battery Powered Flip Cap Crimper	13	1
W225722	Battery Powered Flip Cap Crimper	20	1

Automatic Crimping Tool Stand

Cat. No.	Description	Qty/Case
W225701	Crimping Tool Stand	1



For more information on WHEATON products, please visit www.wheaton.com

WHEATON | 1501 North 10th Street | Millville, New Jersey 08332-2038 | USA
800.225.1437 (U.S. & Canada Only) | 856.825.1100 | 856.825.1368 (F)

WSS_055 01/2016