

BENCH PROTM

... ROCK SOLID

Purchase Guideline



www.benchpro.com



www.benchdepot.com
(888) 700-9888
xano@benchpro.com



3-5 Day Custom Lead Time • 5 Minute Assembly
25 Year Unconditional Warranty
Customizable Workstations, Chairs, and Carts
Build A Custom Workstation On Our 3D Configurator

Step 1: Select Workbench Design



Kennedy

- Our Best Seller
- 5,000 Lb Capacity



Stainless Steel Kennedy

- Class 1 Cleanroom
- Full Stainless Steel Table



Dewey

- Recessed Legs Workbench
- 5,000 Lb Capacity



Hydraulic Lift

- Available in Adams, Roosevelt, And Cleveland

Step 2: Select Workbench Tabletop



Formica Laminate

- Edge Cut
- Round Edge
- T-Mold



ESD Laminate

- Round Edge



Cleanroom

- Edge Cut
- Round Edge




Cleanroom ESD

- Round Edge




Butcher Block

- Edge Cut (Oil or Lacquered)
- Round Edge (Oil or Lacquered)




Phenolic

- 3/4" or 1" Edge Cut
- 3/4" or 1" Round Edge



Disposable Top

- * Kennedy Series Only
- Particle Board Edge Cut



Powder Painted Steel

- * Kennedy Series Only
- Galvaneal Top Edge Cut



Stainless Steel

- Grade 304 (Edge Cut or Round Edge)
- Grade 430 (Edge Cut or Round Edge)



Galvanized Steel

- * Excludes Dewey Series
- Galvanized Edge Cut
- Raw Galvaneal Edge Cut

Standard Sizes (Dimensions D x L)

- | | | | |
|--------------|--------------|--------------|--------------|
| • 24" x 24" | • 30" x 24" | • 36" x 24" | • 48" x 24" |
| • 24" x 30" | • 30" x 30" | • 36" x 30" | • 48" x 30" |
| • 24" x 36" | • 30" x 36" | • 36" x 36" | • 48" x 36" |
| • 24" x 48" | • 30" x 48" | • 36" x 48" | • 48" x 48" |
| • 24" x 60" | • 30" x 60" | • 36" x 60" | • 48" x 60" |
| • 24" x 72" | • 30" x 72" | • 36" x 72" | • 48" x 72" |
| • 24" x 96" | • 30" x 96" | • 36" x 96" | • 48" x 96" |
| • 24" x 120" | • 30" x 120" | • 36" x 120" | • 48" x 120" |
| • 24" x 144" | • 30" x 144" | • 36" x 144" | • 48" x 144" |
| • 24" x 168" | • 30" x 168" | • 36" x 168" | • 48" x 168" |

Step 3: Workbench Information

1. Select Depth, Width, and Height of Bench

- a. BenchPro offers various sizes
- b. Customization does not delay lead time

Specify DxWxH: _____

Depth
24 Inches
30 Inches
36 Inches
48 Inches

Width
24 Inches
30 Inches
36 Inches
48 Inches
60 Inches
72 Inches
96 Inches
120 Inches

Height
28" Inches
30" Inches
32" Inches
34" Inches
36" Inches
38" Inches
40" Inches
42" Inches

*Standard Height/ Office Use

*Commonly Used as Industrial Height

*Commonly Used as Standing Height

2. Select Frame Color

- a. Custom colors are available for frame and table top
- b. Please provide color code for customization

Frame Colors
Standard White
Storm Gray
Standard Black
Beige
Standard Blue
Dark Blue

Table Top Colors
Standard White
Storm Gray
Standard Black
Beige
Light Gray

Specify Frame Color: _____

Specify Table Top Color: _____

3. Select the Amount of Benches Required: _____

Step 4: Adjustable Legs



• Adjust heights of bench up to 6" by 2" increments from any starting height



• Adjust heights of bench up to 6" by 2" increments from any starting height

Step 5: Casters



*For Harding Series Only

Step 6: Uprights

Leg Mount, Single Sided



- Allows For More Space On The Worksurface. Heavy Loads May Cause Them To Lean Forward Slightly

Top Mount, Double Sided



- Use for Back to Back Benches
- * Uprights Required for Lighting and Shelves

Stainless Steel Upgrades Available As Option

Step 7: Lighting

LED Light



- 20", 32", 44", 56", 68", and 92"
- 12v, 6-Amp 115 Power Supply

Sealed LED Light



- 24", 48", 60"
- Brighter and Most Affordable

Flourescent Light



Sealed Light



- 24", 48", and 60"
- Brighter and Eliminates Dust

Step 8: Light Frames

45° Light Frame



90° Light Frame



45° Double Light Frame



90° Double Light Frame



Step 9: Shelving



- Formica
- ESD
- Phenolic
- Butcher Block
- Cleanroom
- Chemical Resistant
- Stainless Steel
- Wire



- 19", 31", 43", 55", 79", and 103" Long

Step 10: Power

Stainless Steel



- 16-Amp
- 8, 12, and 16 Outlets

Installed In Frame




- 15-Amp
- 4 and 8 Outlets
- Installed on Front or Back

USB Mounted Strip



- BenchPro Exclusive
- Eliminates Dangling Cords

Adj. Height Plug Strip



- 15-Amp
- 8, 12, and 16 Outlets
- Face Front, Down, or Back

Step 11: Cabinets

Overhead Sliding



- Heavy Stainless Steel Handles
- Nylon Wheels For Easy Sliding Doors
- Can Be Keyed Differently

Secure Electrics



- Heavy Stainless Steel Handles
- Nylon Wheels For Easy Sliding Doors
- Can Be Keyed Differently

Drawer Space



- Stainless Steel Handles
- Full Piano Hinges
- Tumbler Lock

Stand Alone Cabinet



- Comes In Various Sizes (D x W x H)
- Available With Wheel/Caster
- Available With Phenolic Resin Top

Step 12: Articulating Shelves

LCD Monitor Holder



LCD Monitor + Keyboard



Document Holder



Shelf



Step 13: Drawers

14.5" Wide



- 20" Depth x 14.5" Wide
- Height: 2", 4", 6", and 12"
- Keyed Alike/ Keyed Differently

21" Wide



- 100 Lb. Weight Capacity
- Installed on Left or Right

Stainless Steel Upgrades Available As Option

Step 14: Riser Shelves

Folding Shelves



- Formica
- ESD
- Butcher Block
- Cleanroom
- Chemical Resistant
- Abrasion Laminate

Tubular Shelves



- Formica
- ESD
- Butcher Block
- Cleanroom
- Chemical Resistant

Step 15: Bottom Shevles

Bottom Shelf, Radiused



Bottom Shelf, Roll-Out



- These Shelves Snap Into Position With The Use of Tools

Bottom Shelf Options

- Formica
- ESD
- Butcher Block
- Cleanroom
- Chemical Resistant
- Abrasion Resistant
- Powder Painted Steel
- Stainless Steel

Step 16: Footrest

Type 2 (Adjustable)



- Vertically and Horizontally Adj.