

Corning® Lambda™ EliteTouch™ Pipettors

Effortless pipetting and reliable results

CORNING



Corning Lambda EliteTouch pipettors have been engineered to provide the highest levels of comfort, accuracy, and precision. The lightweight construction, contoured handle, and 4-digit counter were designed to ensure comfortable pipetting. All pipettors feature smooth plunger movement and extremely low pipetting forces to reduce wrist strain and fatigue (RSI). Colored pushbuttons (included) can help identify a user or application for sample safety and lower risk of cross-contamination.

- ▶ Ergonomic handle design is a perfect fit for both the right and left hand
- ▶ Convenient one-hand volume setting with auto-lock system prevents accidental volume change during work
- ▶ 4-digit counter provides greater precision and is perfectly positioned for visibility at all times
- ▶ Single-channel pipettors are compatible with very narrow tubes
- ▶ Fully autoclavable and UV-resistant for sample protection against contaminations
- ▶ The multi-channel shafts retract individually for perfect tip loading and easier tip ejection
- ▶ Unique ejector lever system enables effortless tip ejection
- ▶ Easy in-lab calibration helps you quickly adjust your pipettor to various liquid types
- ▶ Individually tested and supplied with a certificate of quality

Starter Kit

Corning Lambda EliteTouch Starter Kit contains 4 variable volume pipettors in the most popular and universal volumes (0.5-10 μ L, 2-20 μ L, 20-200 μ L, and 100-1000 μ L), pipet stand for 4 pipettors, 3 racks with tips, and accessories.

Ordering Information

Corning® Lambda™ EliteTouch™ Pipettors

Single-channel

Thomas No.	Mfr. No.	Volume Range (µL)	Accuracy (%)	Precision (%)	Non-filtered Tip (µL)	Qty/Cs
1141Y13	6050	0.1 - 2	±40.0 to ±1.5	≤12.0 to ≤0.7	10	1
1141Y14	6051	0.5 - 10	±4.0 to ±1.0	≤2.8 to ≤0.4	10	1
1141Y15	6052	2 - 20	±3.5 to ±0.8	≤1.5 to ≤0.3	200	1
1141Y16	6053	5 - 50	±3.5 to ±0.8	≤1.3 to ≤0.3	200	1
1141Y17	6054	10 - 100	±3.0 to ±0.8	≤1.0 to ≤0.2	200	1
1141Y18	6055	20 - 200	±2.0 to ±0.6	≤0.7 to ≤0.2	200	1
1141Y19	6056	100 - 1000	±2.5 to ±0.6	≤0.6 to ≤0.2	1000	1

8-channel

1141Y20	6057	0.5 - 10	±10.0 to ±2.0	≤8.0 to ≤1.2	10	1
1141Y21	6058	5 - 50	±4.0 to ±1.6	≤2.5 to ≤0.6	200	1
1141Y22	6059	10 - 200	±5.0 to ±1.0	≤3.0 to ≤0.6	200/300	1
1141Y23	6060	30 - 300	±3.0 to ±1.0	≤1.5 to ≤0.6	300	1

12-channel

1141Y24	6061	0.5 - 10	±10.0 to ±2.0	≤8.0 to ≤1.2	10	1
1141Y25	6062	5 - 50	±4.0 to ±1.6	≤2.5 to ≤0.6	200	1
1141Y26	6063	10 - 200	±5.0 to ±1.0	≤3.0 to ≤0.6	200/300	1
1141Y27	6064	30 - 300	±3.0 to ±1.0	≤1.5 to ≤0.6	300	1

Corning Lambda EliteTouch Starter Kit

Thomas No.	Mfr. No.	Description	Qty/Cs
1141Y28	6065	Corning Lambda EliteTouch Starter Kit Includes: 4 single-channel pipettors: 0.5 to 10 µL (Cat. No. 6051), 2 to 20 µL (Cat. No. 6052), 20 to 200 µL (Cat. No. 6055), 100 to 1000 µL (Cat. No. 6056); universal linear stand for four single-channel pipettors (Cat. No. 6066); Corning DeckWorks pipet tips: 10 µL (Cat. No. 4115), 200 µL (Cat. No. 4116), 1000 µL (Cat. No. 4119); 3 colored pushbuttons (4 sets)	1

Accessories

1222T56	4088	Pipettor stand for one single-channel, 8-channel, or 12-channel pipettor	1
21A00H418	6066	Universal linear stand for four pipettors, orange (four single-channel, maximum of two 8-channel or 12-channel pipettors)	1
21A00H419	6067	Universal linear stand for four pipettors, transparent (four single-channel, maximum of two 8-channel or 12-channel pipettors)	1
21A00H420	6068	Universal linear stand for six pipettors, transparent (six single-channel, maximum of three 1 8-channel or 12-channel pipettors)	1



CORNING

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

For a listing of trademarks, visit www.corning.com/clstrademarks. All other trademarks are the property of their respective owners.



ThomasSci.com 833.544.SHIP (7447)
CustomerService@ThomasSci.com

Connect With Us:

