

4 Research Court, Suite 300 Rockville, MD 20850 877-411-2041 Services@ibtbioservices.com

Staphylococcus aureus Delta Hemolysin (δ-toxin)

Catalog #: 1401-003

Lot #: 1508005

Description: Purified *Staphylococcus aureus* delta hemolysin (delta toxin; Hld).

Supplied: 100 μ g is supplied in phosphate buffered saline at a concentration of 0.729 mg/mL.

Storage: -20°C


Relevance: δ -Toxin is produced by *S. aureus* and is translated from the RNAIII transcript, a key player of the staphylococcal quorum sensing system (*agr*). δ -Toxin is a major virulence factor of *S. aureus* and primarily causes cytolysis in red and white blood cells.

Recommended Dilutions:

ELISA: Assay-dependent dilution.

WB: Not recommended for this peptide.

Cytotoxicity assay: The peptide is active in functional lysis assays with horse red blood cells, as well as human peripheral mononuclear cells. The peptide can be also used in serology assay as coating antigen to detect antibodies to Hld.



Lysis of horse red blood cells by *S. aureus* δ -Toxin. Red blood cell lysis was measured by the OD of the supernatants at 416nm after 45 min incubation at 37°C with δ -Toxin. Red circles represents the current lot 1508005 and green circles represents the previous lot 1410001.

For additional S. aureus products, please visit:

http://ibtbioservices.com/index.php/product-andreagents/staphylococcal-products

Intended for research use only, not for human, therapeutic, or diagnostic applications. The buyer cannot sell or otherwise transfer this product for Commercial Purposes without written approval of Integrated Bio Therapeutics, Inc.

Copyright 2015. Integrated BioTherapeutics, Inc. All rights reserved.