

Reviewed on 06/07/2016

#### 1 Identification

· Product identifier

· Trade name: 1,4-BUTANEDIOL

· Article number: 300023

• CAS Number: 110-63-4

· EC number:

203-786-5

· Molecular Formula C4 H10 O2

- · Molecular Weight 90.12 g/mol
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MP Biomedicals, LLC

29525 Fountain Parkway

Solon, OH 44139

**United States** 

www.mpbio.com

- · Information department: Quality Control Department
- · Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

butane-1,4-diol

· Hazard statements

Harmful if swallowed.

May cause drowsiness or dizziness.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Rinse mouth.

(Contd. on page 2)

Printing date 06/07/2016 Reviewed on 06/07/2016

Trade name: 1,4-BUTANEDIOL

(Contd. of page 1)

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*1Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

110-63-4 butane-1,4-diol

- · Identification number(s)
- · EC number: 203-786-5

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Flush eyes with running water as a precaution.
- · After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

Printing date 06/07/2016 Reviewed on 06/07/2016

Trade name: 1,4-BUTANEDIOL

(Contd. of page 2)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 15-30 °C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)

Printing date 06/07/2016 Reviewed on 06/07/2016

Trade name: 1,4-BUTANEDIOL

(Contd. of page 3)

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

| 9 Physical and chemical properties    |   |  |  |  |
|---------------------------------------|---|--|--|--|
| · Information on basic physical and   | chemical properties                     |  |  |  |
| · General Information                 | F. F.                                   |  |  |  |
| · Appearance:                         |   |  |  |  |
| Form:                                 | Viscous liquid                          |  |  |  |
| Color:                                | Colorless                               |  |  |  |
| · Odor:                               | Indeterminate                           |  |  |  |
| · Odor threshold:                     | Not determined.                         |  |  |  |
| · pH-value:                           | Not determined.                         |  |  |  |
| · Change in condition                 |   |  |  |  |
| Boiling point/Boiling range:          | 230 °C (446 °F)                         |  |  |  |
| · Flash point:                        | $112 - > ^{\circ}C (234 - > ^{\circ}F)$ |  |  |  |
| · Flammability (solid, gaseous):      | Not applicable.                         |  |  |  |
| · Ignition temperature:               | 370 °C (698 °F)                         |  |  |  |
| · Decomposition temperature:          | Not determined.                         |  |  |  |
| · Auto igniting:                      | Not determined.                         |  |  |  |
| · Danger of explosion:                | See section 10                          |  |  |  |
| · Explosion limits:                   |   |  |  |  |
| Lower:                                | Not Applicable                          |  |  |  |
| Upper:                                | Not Applicable                          |  |  |  |
| · Vapor pressure:                     | Not Applicable                          |  |  |  |
| · Density at 20 °C (68 °F):           | $1.02 \ g/cm^3 (8.512 \ lbs/gal)$       |  |  |  |
| · Relative density                    | Not determined.                         |  |  |  |
| · Vapor density                       | Not determined.                         |  |  |  |
| · Evaporation rate                    | Not determined.                         |  |  |  |
| · Solubility in / Miscibility with    | Not Determined                          |  |  |  |
| · Water:                              | Soluble.                                |  |  |  |
| · Partition coefficient (n-octanol/wa | t <b>er):</b> Not determined.           |  |  |  |
| · Viscosity:                          |   |  |  |  |
| Dynamic:                              | Not determined.                         |  |  |  |
| Kinematic:                            | Not determined.                         |  |  |  |
| · Solvent content:                    |   |  |  |  |
| Organic solvents:                     | 0.0 %                                   |  |  |  |
| VOC content:                          | 0.0~g/l / 0.00~lb/gl                    |  |  |  |

(Contd. on page 5)

Printing date 06/07/2016 Reviewed on 06/07/2016

Trade name: 1,4-BUTANEDIOL

(Contd. of page 4)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

110-63-4 butane-1,4-diol

Oral LD50 1525 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritant and potentially harmful
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing date 06/07/2016 Reviewed on 06/07/2016

Trade name: 1,4-BUTANEDIOL

· Other adverse effects No further relevant information available.

(Contd. of page 5)

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

| 141 | rans | port | info | ormai | ion |
|-----|------|------|------|-------|-----|
|     |      |      |      |       |     |

| 21 21 ansport injornation   |                       |
|---|-----------------------|
| · UN-Number<br>· ADR  | Not regulated         |
| · UN proper shipping name<br>· ADR  | Not regulated         |
| · Transport hazard class(es)  |                       |
| · ADR<br>· Class  | Not regulated         |
| · Packing group<br>· ADR  | Not regulated         |
| · Environmental hazards:  | Not applicable.       |
| · Special precautions for user  | Not applicable.       |
| · Transport in bulk according to Annex II o<br>MARPOL73/78 and the IBC Code | of<br>Not applicable. |
| · UN ''Model Regulation'':  | Not regulated         |

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

(Contd. on page 7)

Printing date 06/07/2016 Reviewed on 06/07/2016

Trade name: 1,4-BUTANEDIOL

(Contd. of page 6)

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

butane-1,4-diol

· Hazard statements

Harmful if swallowed.

May cause drowsiness or dizziness.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Rinse mouth.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 06/07/2016 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 8)

Printing date 06/07/2016 Reviewed on 06/07/2016

Trade name: 1,4-BUTANEDIOL

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$ 

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity, Hazard Category 4

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. of page 7)

TIC