

making a difference



3D MADE EASY

3D CELL CULTURE SOLUTIONS

For more representative results

Because biology lives in a
3-dimensional world.

Thomas
Scientific


greiner
BIO-ONE

ADVANTAGES



MIMICS IN VIVO PHYSIOLOGICAL CONDITIONS

by replicating native tissue microenvironment



IN VITRO WITH IN VIVO CELL-CELL INTERACTIONS

by promoting cell-cell contact and interaction with ECM
for predictive drug response



CO-CULTURE OF SEVERAL CELL TYPES



and possibility of human cell usage



NO ETHICAL DIFFICULTIES

compared to animal usage - **R**eplacement, **R**eduction and
Refinement (3Rs)

The value of 3D cell cultures is the accurate representation of *in vivo* biology *in vitro*.



Open your mind to 3D cell culture. Go deeper - and find out what's really there

Not long ago, researchers were sceptical of the value of culturing cells in a 3D environment. Today, 3D cell culture has become a routine tool that plays a vital role in life sciences, especially in cancer research, drug discovery and toxicology. 3D cell culture approaches are still relatively new despite their early impact. There is still ambiguity in the robustness of culturing techniques, the readiness of the supply chain, and even the use of terminology depicting 3D morphology. The value of 3D cell cultures is defined by the increased dimensionality and access to contact between cells to generate a phenotype predictive of *in vivo* biology but performed *in vitro*.

Cell-cell interaction is fundamental, independent of whether 3D structures are called spheroids, organoids, assembloids, or tumoroids, and of course, a phenotype is agnostic to terminology.

Greiner Bio-One has three main product options available to perform 3D cell culture to give the best solution for every specific research question. **ThinCert® cell culture inserts** to mimic a variety of *in vivo* situations by the two-compartment system.

CELLSTAR® cell culture vessels with cell-repellent surfaces prevent cell adherence to promote the spontaneous formation of three-dimensional spheroids and as an essential accessory for the **magnetic 3D cell culture technology (m3D)**. M3D creates 3D cell culture structures by magnetizing cells and using magnet forces.


THE VALUE OF GREINER BIO-ONE'S 3D CELL CULTURE TECHNOLOGIES:

- / Easy to mimic
- accurate representation of native tissue environment
- / Easy to overcome drawbacks - leave behind disadvantages of 2D cell culture and animal experiments for more relevant cell models
- / Easy to scale - scalable systems to increase the throughput
- / Easy to setup - confirmed by independent scientific publications


3D CELL CULTURE PRODUCT PORTFOLIO OVERVIEW

ThinCert® Cell Culture Inserts


Format: available in 6, 12 and 24 well format




Pore size 0.4 µm



Pore size 1.0 µm



Pore size 3.0 µm



Pore size 8.0 µm

- / Pore density $2 \times 10^6/\text{cm}^2$ [transparent]
- / Pore density $2 \times 10^6/\text{cm}^2$ [transparent]
- / Pore density $0.6 \times 10^6/\text{cm}^2$ [transparent]
- / Pore density $0.15 \times 10^8/\text{cm}^2$ [translucent]
- / Pore density $1 \times 10^8/\text{cm}^2$ [translucent]
- / Pore density $1 \times 10^8/\text{cm}^2$ [translucent]

CELLSTAR® Cell-Repellent Vessels

Raw material: Polystyrene



Dishes



Flasks



Flat bottom plates



U-bottom plates

- / 35, 60 and 100 mm diameter
- / 50, 250, 550 and 650 ml version
- / 96, 384 and 1536 well version
- / 96 and 384 well version
- / With vents
- / With screw or filter screw cap
- / Clear, black and white with µclear bottom
- / Clear

Magnetic 3D Cell Culture Solutions

Format: available for different well formats




Bioprinting Kits



Bio-Assembler Kits



BioAssay Kits




MagPen Kits

- / 96, 384 and 1536 well
- / 6 and 24 well
- / 96 and 384 well
- / Single, 24 and 96 well Multi-MagPen

MATCHING PRODUCTS FOR VARIOUS APPLICATION FIELDS

The application fields for 3D cell culture are very diverse and wide-ranging, from migration assays over tissue engineering to high-throughput drug discovery and toxicology studies 3D cell culture is an essential tool. Depending on the specific application and scientific asked question independent if in basic research or in the industrially environment the right product either in low- or in high-throughput wants to be selected.

Greiner Bio-One offers a wide range of solutions for all kind of 3D cell culture applications - let's overcome limits together!



THINCERT® CELL CULTURE INSERTS



BROAD PRODUCT RANGE FOR VARIOUS CELL CULTURE ASSAY APPLICATIONS

For advanced cell and tissue culture applications, Greiner Bio-One offers an extensive family of membrane supports - ThinCert®. Combining 6 different membrane specifications (pore size and density) in geometries to fit 6, 12 and 24 well plates, the ThinCert®

cell culture inserts are suitable for a wide range of applications including transport, secretion and diffusion studies, migrational experiments, cytotoxicity testing, co-cultures, trans epithelial electric resistance (TEER) measurements and primary cell culture.

THINCERT® - THE PRINCIPLE

- / ThinCert® with porous PET membrane in different pore sizes
- / PET capillary pore membrane thermobonded onto insert
- / Insert and well form a two-compartment system
- / Compartments can communicate via membrane pores
- / Improved cell adhesion through physical surface treatment
- / Enhanced pipetting access and gas exchange




Migration/ Invasion assay

Cell migration plays a significant role in physiological and pathological processes during embryonic development, wound healing, immune response, inflammation, and tumorigenesis. The filter assay is a standard *in vitro* model used to study cell migration and is performed in cell culture inserts with 8.0 µm pores of the ThinCert® membrane, which supports and involves cell migration from the upper compartment towards a chemo-attractant source in the lower compartment.

MAIN REQUIREMENTS DERIVED FROM APPLICATION

ThinCert® cell culture inserts with porous PET membranes thermobonded to a clear polystyrene housing form a two-compartment system to mimic a variety of *in vivo* situations. The inserts entail a design with an eccentric position in the wells for facilitating pipette access to the lower compartment. The sterility of the single blister-packed inserts and multiwell plates is ensured by irradiation.

Greiner Bio-One offers several application protocols for the practical integration of ThinCert® cell culture inserts addressing a specific question and providing detailed laboratory instructions.




Co-Culture

Co-culture includes diverse applications, such as the study of immune cell interactions, the stimulation of cell proliferation, the maintenance of cell differentiation, and the restoration of heterocellular functions *in vitro* (e.g. blood-brain-barrier). With ThinCert® cell culture inserts, cells may be seeded in the upper and lower compartment so the 0.4 μm or 1.0 μm pores of the ThinCert® membrane allow the exchange of molecules between the two cell populations.




Transport Studies

Transport studies are among the most frequent applications of cell culture inserts. The goal is to reconstruct a functional epithelium from individual cells and study the active transport of substances from one compartment through the epithelium to the other compartment. ThinCert® cell culture inserts with 0.4 μm pores and translucent membranes are recommended for transport assays.



Organotypic and air-lift-culture

In organotypic culture a tissue can be kept alive for prolonged periods, while in tissue reconstruction the tissue is *de novo* generated from single cells. Both procedures use cell culture inserts with 0.4 to 3.0 μm pores and entail tissue growth *in vitro* at the air-liquid-interface without limitations from gas exchange. Furthermore, for some tissue types, the direct exposure of the cultivated cells to the surrounding atmosphere serves as an indispensable differentiation stimulus.



Innovative chemical surface modification
effectively supports the formation
of spheroids.

CELLSTAR® CELL-REPELLENT VESSELS

PREVENT CELL ATTACHMENT TO SUPPORT THE FORMATION OF 3D CELL CULTURES

In contrast to standard tissue culture surfaces optimized to enhance cell attachment conditions, the CELLSTAR® cell-repellent surface has been developed to prevent cell attachment effectively. For the formation of e.g. spheroids or self-assembled spherical clusters used as 3D cell culture models, the cell-cell interac-

tion must dominate over the interaction between the cells and the culture surface of containment.

CELLSTAR® cell-repellent products are by default sterile, non-cytotoxic, free of detectable endotoxins, detectable DNase / RNase and human DNA and have a 4 year shelf-life.

APPLICATIONS

- / Suspension culture of semi-adherent and adherent cell lines
- / Spheroid culture of a single spheroid per well in round-bottom, or multiple spheroids in flat-bottom microplates, flasks and dishes
- / Aggregation of stem cells, as a key step for cultivation and differentiation in 3D
- / 3D culture in hydrogels without cell migration out of the hydrogel and formation of 2D subcultures
- / Indispensable part of the magnetic 3D cell culture technology



GO DEEPER!

Find detailed information
in the related
FORUM NO. 17 at our
Download Center.




MAGNETIC 3D CELL CULTURE SOLUTIONS

BECAUSE 3D MUST NOT BE COMPLICATED


The core technology of Greiner Bio-One's Magnetic 3D Cell Culture is the magnetisation of cells with NanoShuttle-PL. The magnetised cells can be aggregated by magnetic forces, either by levitation or bioprinting, to form microphysiologically relevant 3D models *in vitro*. The magnetic system overcomes the limitations of other platforms by enabling the manipulation of cells for the rapid formation of spheroids, repro-

ducible and scalable in size for high-throughput, without restrictions of cell type. When used in tandem with commercially available standardised biochemical assay methods, the magnetic 3D cell culture method facilitates continuous assessment of cell viability and other functions to provide an ideal platform for e.g. compound or viability screenings or genomics or protein analysis.




Levitation
6 and 24 well

By levitating cells from the bottom of a cell-repellent plate, magnetic forces work as an invisible scaffold to gently and rapidly aggregate cells, forming larger spheroids at the air-liquid interface, induce cell-cell interactions and initiate ECM synthesis.



Bioprinting
96, 384 and 1536 well

With bioprinting magnetised cells are printed into spheroids by placing a cell-repellent plate atop a drive of magnets, where a single magnet below each well utilises mild magnetic forces to induce aggregation and print one spheroid at the bottom of each well within 15 minutes to a few hours.



Bio Assay
96 and 384 well

In addition bioprinting with a spheroidal shape, magnetic printing of cells can also be patterned into a ring formation. For up to 72 hours immediately following bioprinting, the patterned structures will shrink/close as a function of cell migration, viability, cell-cell interaction, and/or proliferation.

3D CELL CULTURE FORMATION IN A FAST AND EASY WORKFLOW!

Incubate cells with
NanoShuttle-PL

1

Detach, count
and dispense
magnetised cells
in a cell-repellent
plate

2

Induce cell
aggregation
with a magnet
plate


3

Remove plate
from magnet
after > 15 min

4

Spheroid growth
and downstream
experiments e.g.
Protein analysis
and drug screening

5



MAGPEN - YOUR SMART ASSISTANT FOR 3D CELL CULTURE TRANSFER


The MagPen facilitates easy and fast transfer and collection of magnetised cell cultures without disrupting their microtissue architecture. Cells, magnetised and cultured by Magnetic 3D Cell Culture (M3D), can be transposed by a simple “pick up-and-drop”-step.

Additionally to that, the MagPen can be used to create and organize co-cultures by combining different magnetised 3D cell cultures.

The MagPen is available as single version and as Multi-MagPen in 24 and 96 well format for simultaneous transfer of various cell cultures in one step.



Have a closer look to our video animation of the m3D Multi-MagPen.



MAGPEN - THE PRINCIPLE

- / Fast, easy and simultaneous transfer of multiple 3D cell cultures without pipetting
- / Complete media change by a simple “pick up-and-drop”- step
- / Simplified co-culturing of different cell types
- / Ideal for easy immunohistochemistry staining, blocking, and washing of spheroids

MAGNETISATION WITH NANOSHUTTLE-PL

NanoShuttle-PL is a nanoparticle assembly (~50 nm) consisting of biocompatible components: gold, iron oxide, and Poly-L-Lysine (PLL). Although NanoShuttle-PL is not itself an FDA-approved product for use in humans, the constituent components are themselves biocompatible.

The cells are magnetised by electrostatically attaching small amounts of NanoShuttle-PL non-specifically to cell membranes via PLL at a concentration of around 50 pg/cell. Magnetised cells will appear peppered with dark nanoparticles after incubation, giving a speckled appearance. A small magnetic force of 30 pN/cell is enough to levitate and assemble cells without causing any harm.

NANOSHUTTLE-PL - THE BIOCOMPATIBILITY

- / Will not affect proliferation, viability, metabolism, inflammatory or oxidative stress, phenotype and/ or other cell functions
- / Does not bind any specific receptors, works with all cell types
- / Will release from the cell over 7-8 days into the surrounding extracellular matrix
- / Does not cause any chromosomal abnormalities in cells and does not lead to genomic instability



GO DEEPER!

Find detailed information in the related Whitepaper at our Download Center.



PRODUCT OVERVIEW

THINCERT® CELL CULTURE INSERTS

ThinCert® Cell Culture Inserts

6 Well

Feature: 4 multiwell plates / box, Height: 16.25 mm, Ø internal: 24.85 mm, Ø external: 27.85 mm, Cultural surface: 452.4 mm², Surface treatment: TC, Working volume (ThinCert®): 1 ml - 3.6 ml, Working volume (well): 2 ml - 4.15 ml

Thomas No.	Mfr. No.	Pore density	Ø pore	Optical membrane properties	Sterile	Qty. inner / outer
1176Q30	657640	1 x 10 ⁸ cm ²	0.4 µm	translucent	+	1 / 24
1176Q31	657641	2 x 10 ⁶ cm ²	0.4 µm	clear	+	1 / 24
1176Q26	657610	2 x 10 ⁶ cm ²	1 µm	clear	+	1 / 24
1176Q27	657630	0,6 x 10 ⁶ cm ²	3 µm	clear	+	1 / 24
1176Q28	657631	2 x 10 ⁶ cm ²	3 µm	translucent	+	1 / 24
1176Q29	657638	0,15 x 10 ⁶ cm ²	8 µm	translucent	+	1 / 24

ThinCert® Cell Culture Inserts

12 Well

Feature: 4 multiwell plates / box, Height: 16.25 mm, Ø internal: 13.85 mm, Ø external: 15.85 mm, Cultural surface: 113.1 mm², Surface treatment: TC, Working volume (ThinCert®): 0.3 ml - 1 ml, Working volume (well): 1 ml - 2 ml

Thomas No.	Mfr. No.	Pore density	Ø pore	Optical membrane properties	Sterile	Qty. inner / outer
1176Q49	665640	1 x 10 ⁸ cm ²	0.4 µm	translucent	+	1 / 48
1176Q50	665641	2 x 10 ⁶ cm ²	0.4 µm	clear	+	1 / 48
1176Q45	665610	2 x 10 ⁶ cm ²	1 µm	clear	+	1 / 48
1176Q46	665630	0,6 x 10 ⁶ cm ²	3 µm	clear	+	1 / 48
1176Q47	665631	22 x 10 ⁶ cm ²	3 µm	translucent	+	1 / 48
1176Q48	665638	05 x 10 ⁶ cm ²	8 µm	translucent	+	1 / 48

ThinCert® Cell Culture Inserts

24 Well

Feature: 2 multiwell plates / box, Height: 16.25 mm, Ø internal: 8.4 mm, Ø external: 10.4 mm, Cultural surface: 33.6 mm², Surface treatment: TC, Working volume (ThinCert®): 0.1 ml - 0.35 ml, Working volume (well): 0.4 ml - 1.2 ml

Thomas No.	Mfr. No.	Pore density	Ø pore	Optical membrane properties	Sterile	Qty. inner / outer
1176Q41	662640	1 x 10 ⁸ cm ²	0.4 µm	translucent	+	1 / 48
1176Q42	662641	2 x 10 ⁶ cm ²	0.4 µm	clear	+	1 / 48
1176Q37	662610	2 x 10 ⁶ cm ²	1 µm	clear	+	1 / 48
1176Q38	662630	0,6 x 10 ⁶ cm ²	3 µm	clear	+	1 / 48
1176Q39	662631	2 x 10 ⁶ cm ²	3 µm	translucent	+	1 / 48
1176Q40	662638	0,15 x 10 ⁶ cm ²	8 µm	translucent	+	1 / 48

ThinCert® Plate**6 / 12 Well**

Height: 39.5 mm, Length: 129.5 mm, Width: 86.6 mm, Lid: yes, condensation rings

Thomas No.	Mfr. No.	Well format	Working volume (well)	Sterile	Qty. inner / outer
1176Q25	657110	6	≤20 ml	+	1 / 50
1176Q44	665110	12	≤4 ml	+	1 / 60

PRODUCT OVERVIEW

CELLSTAR® CELL-REPELLENT VESSELS

Cell Culture Dishes

Cell-Repellent Surface

Raw material: PS, Surface treatment: cell-repellent, Vent neck: yes

Thomas No.	Mfr. No.	Ø nominal size	Working volume	Total volume	Sterile	Qty. inner / outer
1182M19	627979	35 mm	≤3 ml	10 ml	+	10 / 40
1182M20	628979	60 mm	6 ml - 7 ml	28 ml	+	10 / 20
1182M21	664970	100 mm	16 ml - 17 ml	100 ml	+	1 / 5

Cell Culture Flasks

Cell-Repellent Surface

Raw material: PS, Surface treatment: cell-repellent

Thomas No.	Mfr. No.	Flask design	Cap colour	Total volume	Cap design	Sterile	Qty. inner / outer
1149M22	690980	flat	○ white	50 ml	screw cap	+	10 / 20
1149M23	690985	flat	○ white	50 ml	filter screw cap	+	10 / 20
1149M10	658980	flat	○ white	250 ml	screw cap	+	5 / 15
1149M11	658985	flat	○ white	250 ml	filter screw cap	+	5 / 15
1149M12	660980	flat	○ white	550 ml	screw cap	+	5 / 5
1149M13	660985	flat	○ white	550 ml	filter screw cap	+	5 / 5
1149M14	661980	high	○ white	650 ml	screw cap	+	4 / 4
1149M15	661985	high	○ white	650 ml	filter screw cap	+	4 / 4

Multiwell Plates / Microplates

Cell-Repellent Surface

Raw material: PS, Surface treatment: cell-repellent

Thomas No.	Mfr. No.	Well format	Well profile	Bottom	Product colour	Total volume (well)	Working volume (well)	Lid	Sterile	Qty. Inner / outer
1182M22	657970	6	F-bottom	solid	○ clear	16.1 ml	2 ml - 5 ml	yes, condensation rings	+	1 / 5
—	665970	12	F-bottom	solid	○ clear	6.5 ml	2 ml - 4 ml	yes, condensation rings	+	1 / 5
1182M23	662970	24	F-bottom	solid	○ clear	3.3 ml	0.5 ml - 1.5 ml	yes, condensation rings	+	1 / 5
1182M24	677970	48	F-bottom	solid	○ clear	1.7 ml	0.5 ml - 1.5 ml	yes, condensation rings	+	1 / 5
1184J56	650970	96	U-Bottom	solid	○ clear	323 µl	40 µl - 280 µl	yes, condensation rings	+	1 / 6
—	650979	96	U-Bottom	solid	○ clear	323 µl	40 µl - 280 µl	yes, condensation rings	+	8 / 32
1149M01	651970	96	V-Bottom	solid	○ clear	234 µl	40 µl - 200 µl	yes, condensation rings	+	1 / 6
1184J57	655970	96	F-Bottom / Chimney Well	solid	○ clear	392 µl	25 µl - 340 µl	yes, condensation rings	+	1 / 6
1149M08	655976	96	F-Bottom / Chimney Well	µClear®	● black	392 µl	25 µl - 340 µl	yes, condensation rings	+	8 / 32
1144C67	655976-SIN	96	F-Bottom / Chimney Well	µClear®	● black	392 µl	25 µl - 340 µl	yes, condensation rings	+	1 / 32
1184P74	781970	384	F-Bottom	solid	○ clear	131 µl	15 µl - 110 µl	yes	+	1 / 60
1149M35	781974	384	F-Bottom	µClear®	○ white	131 µl	15 µl - 110 µl	yes	+	8 / 32
1149M35	781976	384	F-Bottom	µClear®	● black	131 µl	15 µl - 110 µl	yes	+	8 / 32
—	781976-SIN	384	F-Bottom	µClear®	● black	131 µl	15 µl - 110 µl	yes	+	1 / 32
—	787979	384	U-Bottom	solid	○ clear	122 µl	10 µl - 90 µl	yes	+	8 / 32

PRODUCT OVERVIEW

MAGNETIC 3D CELL CULTURE

Spheroid Bioprinting

96 Well

Thomas No.	Mfr. No.	Description	Content kit	Qty. inner / outer
1139A34	655840	96 Well Bioprinting Kit, clear	NanoShuttle-PL (3 vials), Spheroid Drive, Holding Drive, 96 well cell culture microplates (clear) with cell-repellent surface (2 x 655970)	1 / 1
1141R76	655841	96 Well Bioprinting Kit, black, μ Clear®	NanoShuttle-PL (3 vials), Spheroid Drive, Holding Drive, 96 well cell culture microplates (black, μ clear®) with cell-repellent surface (2 x 655976-SIN)	1 / 1
—	655850	96 Well Ring Drive	96 Well Ring Drive for the formation of 3D ring structures	1 / 1
1139A38	655830	96 Well Spheroid and Holding Drive	Spheroid Drive, Holding Drive	- / 1

Spheroid Bioprinting

384 Well

Thomas No.	Mfr. No.	Description	Content kit	Qty. inner / outer
1139A40	781840	384 Well Bioprinting Kit, clear	NanoShuttle-PL (2 vials), Spheroid Drive, Holding Drive, 384 well cell culture microplates (clear) with cell-repellent surface (2 x 781970)	1 / 1
1139A41	781841	384 Well Bioprinting Kit, black, μ Clear®	NanoShuttle-PL (2 vials), Spheroid Drive, Holding Drive, 384 well cell culture microplates (black, μ Clear®) with cell-repellent surface (2x 781976-SIN)	1 / 1
1139A42	781850	384 Well Ring Drive	384 Well Ring Drive for the formation of 3D ring structures	1 / 1
1139A39	781830	384 well spheroid and holding drive	Spheroid Drive, Holding Drive	- / 1

Magnetic Levitation

6 / 24 Well

Thomas No.	Mfr. No.	Description	Content kit	Sterile	Qty. inner / outer
1139A36	657840	6 Well Bio-Assembler Kit	Levitation Drive, Holding Drive, NanoShuttle-PL (2 Vials), 6 well cell culture multiwell plates (2 x 657970) and 6 Well Intermediate lid (2 x 657825) with cell-repellent surface		1 / 1
—	657825	6 Well Intermediate lid	Intermediate lid with cell-repellent surface	+	2 / 10
1139A54	657830	6 Well Levitation and Holding Drive	Levitation Drive (1), Holding Drive (1)		- / 1
1139A37	662840	24 Well Bio-Assembler Kit	Levitation Drive, Holding Drive, NanoShuttle-PL (2 Vials), 24 well cell culture multiwell plates (2 x 662970) and 24 Well Intermediate lid (2 x 662825) with cell-repellent surface		1 / 1
—	662825	24 Well Intermediate lid	Intermediate lid with cell-repellent surface	+	1 / 10
1139A53	662830	24 well Levitation and Holding Drive	Levitation Drive (1), Holding Drive (1)		- / 1

Screening**96 / 384 Well**

Thomas No.	Mfr. No.	Description	Content kit	Qty. inner / outer
1139A45	655846	96 Well BiO Assay Kit	NanoShuttle-PL (3 vials), 6 Well Levitation Drive, 6 Well Intermediate Lid (2 x 657825) with cellrepellent surface, 96 Well Spheroid, Holding and Ring Drive, 96 Well Deep Well Plate, 6 Well cell culture multiwell plates with cell-repellent surface (2 x 657970), 96 Well cell culture microplates (clear) with cell-repellent surface (2 x 655970)	1 / 1
1139A47	781846	384 Well BiO Assay Kit	NanoShuttle-PL (2 vials), 6 Well Levitation Drive, 6 Well Intermediate Lid (2 x 657825) with cellrepellent surface, 384 Well Spheroid and Holding Drive, 96 Well Deep Well plate, 6 Well cell culture multiwell plates with cell-repellent surface (2 x 657970), 384 Well cell culture microplates (clear) with cell-repellent surface (2 x 781970)	1 / 1

MagPen**Single / 24 Well / 96 Well**

Thomas No.	Mfr. No.	Description	Content kit	Sterile	Qty. inner / outer
1139A51	657850	MagPen 3-pack	Teflon caps (3), magnets (3)		- /3
—	657824	24 Well Multi-MagPen Kit	24 Well Multi-MagPen Drive and 24 Well Multi-MagPen Sleeve (2 x 651524) with cell-repellent surface		- /1
—	651524	24 Well Multi-MagPen Sleeve	Multi-MagPen Sleeve with cell-repellent surface	+	1 / 10
—	657896	96 Well Multi-MagPen Kit	96 Well Multi-MagPen Drive und 96 Well Multi-MagPen Sleeve (2 x 61596) with cell-repellent surface		- /1
—	651596	96 Well Multi-MagPen Sleeve	Multi-MagPen Sleeve with cell-repellent surface	+	1 / 10

Consumables / Accessories**Magnetic 3D Cell Culture**

Thomas No.	Mfr. No.	Description	Content kit	Qty. inner / outer
1140Z81	657841	NanoShuttle-PL	600 µl vials of NanoShuttle-PL (1)	- /1
1141R77	657843	NanoShuttle-PL 3-pack	600 µl vials of NanoShuttle-PL (3)	- /3
1141R78	657846	NanoShuttle-PL 6-pack	600 µl vials of NanoShuttle-PL (6)	- /6
1140Z82	657852	NanoShuttle-PL 12-pack	600 µl vials of NanoShuttle-PL (12)	- /12

making a difference



This product information is addressed exclusively to healthcare professionals. Devices of Greiner Bio-One are to be used by properly trained healthcare professionals only in accordance with the relevant Instructions for Use (IFU). For a listing of indications, contraindications, precautions and warnings, please refer to the Instructions for Use which accompanies each product or is available for download from our website at www.gbo.com (Download Center).

All information is provided without guarantee despite careful processing. Any liability, warranty or guarantee of Greiner Bio-One GmbH is excluded. All rights, errors and changes are reserved. If not stated otherwise, Greiner Bio-One GmbH has all copyrights and/or other (user-)rights in this documents, in particular to signs such as the mentioned (word-picture-)brands and logos. Any use, duplication or any other use of the rights of Greiner Bio-One GmbH is expressly prohibited.

Media owner: Greiner Bio-One GmbH

F071076 EN [rev.03 06.2022]



ThomasSci.com
833.544.SHIP (7447)
CustomerService@thomassci.com

Connect With Us:

