

Ammonia Breakthrough Indicator For Carbon Absorbers NH<sub>3</sub> BTI 3 (PN: 433)





## 1. Application

The Ammonia BTI 3 (PN: 433) is qualitative (yes/no) colorimetric indicator for the end-ofservice life of carbon absorbers and filters. It is designed to provide real-time indication of the breakthrough of ammonia vapor.

## 2. Specifications

a.	Weight:	204.5g (7.2oz)
b.	Dimensions:	11.43cm (4.5in), diameter 7.62cm (3.0in)
c.	Inlet dimensions:	2.5" MNPT
d.	Operating temperature:	-20°C to 65°C (-4°F to 149°F)
e.	Operating humidity:	5% RH to 90%RH
f.	Minimum detectable limit:	10ppm•hr at 30 cm/sec face velocity
g.	Color change:	Light blue to purple
h.	Storage temperature:	4°C to 25°C, (39°F to 77°F)
i.	Shelf life:	2 years at 4°C to 25°C, (39°F to 77°F)
j.	Service life:	18 months
k.	Light effect:	None

Cross interferences: No interferences are known.

## 3. Operating Instructions

- a. Ensure that packaging pouch is intact.
- b. Open packaging pouch by tearing off the top part from one of side notches.
- c. Remove the Breakthrough Indicator from the packaging pouch.
- d. Remove the 2.5" threaded plug from the outlet lid of carbon absorber.
- e. Remove the protective red plug to activate the breakthrough indicator.
- f. Thread the Breakthrough Indicator into the 2.5" threaded carbon absorber outlet lid.



g. Replace carbon absorber when the Breakthrough Indicator changes color to purple.

## THE EXHAUSTED AMMONIA BTI 3 CAN BE REUSED BY REPLACING THE CONSUMED AMMONIA INDICATOR ASSEMBLY WITH A FRESH INDICATOR ASSEMBLY (PN: 433-1600) AND FRESH ACTIVATED CHARCOAL. PLEASE CONTACT US FOR DETAILS.





Chemteq, Inc., 600 West 24<sup>th</sup> Street, Suite B, Norfolk, Virginia 23517, Tel 757-622-2223, sales@chemteq.net @P-4338100-092614 A