

## 1 Identification

- **Product identifier**
- **Trade name:** Elastase, 2× crystallized
- **Article number:** 100617
- **Application of the substance / the mixture** For Research Use Only
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MP Biomedicals, LLC  
29525 Fountain Parkway  
Solon, OH 44139  
United States  
www.mpbio.com
- **Information department:** Quality Control Department
- **Emergency telephone number:** CHEMTREC: 1-800-424-9300 (1-703-527-3887)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Elastase
- **Hazard statements**  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- **Precautionary statements**  
[In case of inadequate ventilation] wear respiratory protection.  
Avoid breathing dust/fume/gas/mist/vapors/spray  
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/28/2016

Reviewed on 06/28/2016

Trade name: *Elastase, 2× crystallized*

(Contd. of page 1)

- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture: consisting of the following components.

- **Dangerous components:**

CAS: 39445-21-1	Elastase	2.5-<10%
EINECS: 254-453-6		

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Flush eyes with running water as a precaution.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.  
For personal protection see section 8.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/28/2016

Reviewed on 06/28/2016

**Trade name:** *Elastase, 2× crystallized*

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Pick up mechanically, dispose contaminated material as waste according to Section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special requirements.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** 2-8 °C
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Further information about storage conditions:**
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see Section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/28/2016

Reviewed on 06/28/2016

**Trade name:** Elastase, 2× crystallized

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

<b>Form:</b>	Suspension
<b>Color:</b>	According to product specification
<b>Odor:</b>	Indeterminate
<b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

#### · Change in condition

**Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

#### · Ignition temperature:

**Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** See section 10

#### · Explosion limits:

<b>Lower:</b>	Not Applicable
<b>Upper:</b>	Not Applicable

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

<b>Density:</b>	Not Applicable
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

· **Solubility in / Miscibility with** Not Determined

· **Water:** Soluble.

· **Partition coefficient (n-octanol/water):** Not determined.

#### · Viscosity:

<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

#### · Solvent content:

<b>Organic solvents:</b>	0.0 %
<b>Water:</b>	95.0 %
<b>VOC content:</b>	0.0 g/l / 0.00 lb/gl

**Solids content:** 5.0 %

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/28/2016

Reviewed on 06/28/2016

**Trade name:** *Elastase, 2× crystallized*

(Contd. of page 4)

· **Other information** *No further relevant information available.*

## 10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *Irritant and potentially harmful*
- **Sensitization:** *Sensitization possible through inhalation.*
- **Additional toxicological information:**  
*The product shows the following dangers according to internally approved calculation methods for preparations:*  
*Harmful*
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

*None of the ingredients is listed.*

· **NTP (National Toxicology Program)**

*None of the ingredients is listed.*

· **OSHA-Ca (Occupational Safety & Health Administration)**

*None of the ingredients is listed.*

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behavior in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-assessment): slightly hazardous for water*  
*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/28/2016

Reviewed on 06/28/2016

**Trade name:** *Elastase, 2× crystallized*

(Contd. of page 5)

· **Other adverse effects** *No further relevant information available.*

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Can not be disposed together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Discard must be made according to official regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleaning agents.*

## 14 Transport information

- |  |                        |
|--|------------------------|
| · <b>UN-Number</b>   |                        |
| · <b>DOT, ADR, IMDG, IATA</b>  | <i>Not regulated</i>   |
| · <b>UN proper shipping name</b>   |                        |
| · <b>DOT, ADR, IMDG, IATA</b>  | <i>Not regulated</i>   |
| · <b>Transport hazard class(es)</b>  |                        |
| · <b>DOT, ADR, IMDG, IATA</b>  |                        |
| · <b>Class</b>   | <i>Not regulated</i>   |
| · <b>Packing group</b>   |                        |
| · <b>DOT, ADR, IMDG, IATA</b>  | <i>Not regulated</i>   |
| · <b>Environmental hazards:</b>  | <i>Not applicable.</i> |
| · <b>Special precautions for user</b>  | <i>Not applicable.</i> |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | <i>Not applicable.</i> |
| · <b>UN "Model Regulation":</b>  | <i>Not regulated</i>   |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

*None of the ingredients is listed.*

- **Section 313 (Specific toxic chemical listings):**

*None of the ingredients is listed.*

- **TSCA (Toxic Substances Control Act):**

7732-18-5 | *Water*

- **Proposition 65**

- **Chemicals known to cause cancer:**

*None of the ingredients is listed.*

- **Chemicals known to cause reproductive toxicity for females:**

*None of the ingredients is listed.*

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/28/2016

Reviewed on 06/28/2016

**Trade name:** Elastase, 2× crystallized

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Elastase

· **Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

· **Precautionary statements**

[In case of inadequate ventilation] wear respiratory protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Quality Control Dept.

· **Date of preparation / last revision** 06/28/2016 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 8)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 06/28/2016

Reviewed on 06/28/2016

**Trade name: Elastase, 2× crystallized**

(Contd. of page 7)

*vPvB: very Persistent and very Bioaccumulative*  
*NIOSH: National Institute for Occupational Safety*  
*OSHA: Occupational Safety & Health*  
*TLV: Threshold Limit Value*  
*PEL: Permissible Exposure Limit*  
*REL: Recommended Exposure Limit*  
*Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1*

US